



सेन्टर फॉर मेटिरियल्स फॉर इलेक्टॉनिक्स टेक्नोलाजी (सी-मेट)  
**CENTRE FOR MATERIALS FOR ELECTRONICS TECHNOLOGY (C-MET)**  
(Scientific Society, Ministry of Electronics and Information Technology (MeitY), Govt. of India)  
IDA PHASE – III, CHERLAPALLY, HCL (PO), HYDERABAD – 500 051  
Phone: +91-40-27265587, 27267006 Fax: +91-40-27261658 Web: www.cmet.gov.in

No. C-MET/HD/SP-41/PBM/33/2020-21/12257

Date: 11.11.2020

Centre for Materials for Electronics Technology (C-MET), Hyderabad invites Tenders against Tender No. C-MET/HD/SP-41/PBM/33/2020-21/12257, dated 11.11.2020. Closing Date/Time **03.12.2020 at 17:00 Hrs.** Bidders shall submit their original/revised bids upto closing date and time only.

## 2. ITEM: PLANETARY BALL MILL WITH ZIRCONIA BOWLS & BALLS

Supply, Installation & Commissioning of Planetary Ball Mill

Tender Type : **OPEN TENDER**  
Closing time : **03.12.2020 at 17:00 Hrs.**

*Note: Bidders who downloaded tender documents from our web site shall send an email to [vnrao@cmet.gov.in](mailto:vnrao@cmet.gov.in) immediately giving the tender reference number, date of downloading, your full address and contact details. This will help us post any corrigendum or addendum to the tender taken place after the bidder downloaded it. Addendum/corrigendum will be posted in our website as well as in CPP portal only. It will also be sent to bidder who had informed after downloading of the document from our website.*

### NOTE:

- (i) The Technical bid & Financial bid should be in separate sealed covers
- (ii) The quotation should be submitted in the enclosed format only.
- (iii) Conditional tenders shall not be accepted
- (iv) The envelope super-scribed with [a] Enquiry Letter No. & date [b] Due Date & [c] Description of the Item should be clearly indicated, otherwise quotation will be rejected.
- (v) Firms or their authorized representatives will not be allowed to attend the opening of Technical bids on 04.12.2020 at 12:00 hours due to existing COVID-19 pandemic situation. If there is any delay in opening of technical bids will be intimated to the bidder.
- (vi) Requests for the postponement shall not normally be entertained. In rare cases however, if the response to a notice is poor, a decision to postpone the opening date of the tender by a minimum 15 days shall be taken by the competent authority. The time extension so granted shall be intimated to all concerned so that adequate response is received
- (vii) The tender details are also available in our website: <http://www.cmet.gov.in> & CPP Portal
- (viii) The offer should be valid for a period of 120 days from the date of opening of Tender.
- (ix) C-MET is registered under Department of Scientific and Industrial Research (DSIR) and eligible for concessional GST rates @ 5% for Research Institutions

as per Notification No 45/2017-Central Tax (Rate) dated 14.11.2017 and Notification No. 10/2018-Integrated tax (Rate) dated 25.01.2018. The requisite certificate for availing concessional GST Rate along with documents will be provided.

**3. Bid Security Declaration:** The bidder has to sign a Bid Security declaration accepting that if the bidder withdraws or modify its bid during the period of validity i. e., not less than 120 (one hundred twenty) days from the bid due date or if the bidder is awarded the contract and fail to sign the contract or to submit a performance security before the deadline defined in the request for bid documents, the bidder will be suspended for participation in the tendering process for the tenders of C-MET, Hyderabad for a period of one year from the bid due date of this tender. The bid security declaration shall be submitted as per format (Format for Bid Security Declaration).

#### **4. SUBMISSION OF BIDS**

##### **(i) Sealing and Marking of Bids**

- (i) The Bidders shall seal the two envelopes in separate inner envelopes, duly marking the envelopes as Technical Bid and Commercial Bid. Tender Reference No. and name and address of the Bidder should be marked on each of Technical Bid Envelope and Commercial Bid Envelope. These two envelopes should be placed inside an outer envelope. The outer envelope shall be sealed and indicate Tender Reference No. and name of the item and the name and address of the bidder.
- (ii) The inner and outer envelopes shall be addressed to the Administrative Officer (A), Centre for Materials for Electronics Technology, IDA Phase-III, Cherlapally, HCL (Post), Hyderabad-500 051, Telangana State, INDIA.
- (iii) The inner envelope shall also indicate the name and address of the Bidder to be returned unopened in case it is declared "LATE".
- (iv) If the outer envelope is not sealed and marked as specified, C-MET will assume no responsibility for Bid's misplacement of premature opening.
- (v) E-mail, FAX bids will be rejected.

##### **(ii) CLARIFICATION OF BIDS**

During evaluation of bids, C-MET, at its discretion, may ask the Bidder for clarifications of its bid. The request for clarifications and the responses shall be in writing and no change in prices or substance of the bid shall be sought, offered or permitted. However, no post bid clarification at the initiative of the bidder shall be entertained.

#### **5. Deadline for Submission of Bids**

- (i) Bids must be received by C-MET at its address mentioned above not later than **17:00 Hrs. on 03.12.2020**. Bids may be sent through courier/speed post or dropped in the Tender Box available in the Laboratory. In the event of the specified date for the submission of Bids

being declared as a Holiday for C-MET, the bids will be received upto the appointed time on the next working day.

- (ii) C-MET may, at its discretion, extend this deadline for submission of bby amending the tender document, in which case all rights and obligations C-MET and Bidders will thereafter be subject to the deadline as extended.

## **6. Late Bids**

Any bid inadvertently received by C-MET after the deadline for submission of bids prescribed by C-MET, will not be considered and returned unopened to the Bidder.

## **7. Contacting C-MET**

No Bidder shall contact C-MET, Hyderabad on any matter relating to its bid, from the time of the bid opening to the time of contract is awarded. If he wishes to bring additional information to the notice of C-MET, it should do so in writing. C-MET reserves its right as to whether such additional information should be considered or otherwise.

Any effort by a Bidder to influence C-MET in its decision on bid evaluation, bid comparison or contract award shall result in disqualification of the Bidders Bid.

## **CLARIFICATION ON BIDDING DOCUMENTS**

A prospective Bidder requiring any clarification of the bidding documents may notify to

Administrative Officer (A)  
C-MET  
IDA Phase-III  
Cherlapally, HCL (Post),  
Hyderabad-500 051  
TELANGANA STATE, INDIA  
Tel No.:+91-40 27265587 / 27267006  
Fax: +91-40-27261658

## **8. TERMS AND CONDITIONS**

**F.O.R:** C-MET, HYDERABAD

### **Delivery Period**

The Planetary Ball Mill with Zirconia Bowls & Balls should be supplied within 20 weeks from the date of placing Purchase Order.

**LIQUIDATED DAMAGES:** – The delivery period quoted should be realistic. The delivery period so quoted and mentioned in the order is the essence of the order/contract. In case of delay in delivery of material as per the delivery schedule, Liquidated Damage @ 0.5% per week or part thereof on the undelivered portion subject to a maximum of 10% of the contract value

**shall be levied. Wherever, installation and commissioning is also involved, the supply will be deemed to have been completed only when the entire stores is supplied, installed and accepted.**

## **9. PERFORMANCE SECURITY DEPOSIT (PSD)**

- Within 21 days of receipt of the notification of award/PO, the Supplier shall furnish Performance Security (PS) [also known as Bank Guarantee] in the amount specified in the purchase order. It is an option to the Purchaser either to submit single Bank Guarantee/FD etc as detailed to cover both supply, installation and commissioning (as indicated in PO/WO) and warranty/extended warranty period or two BGs one each to cover supply and warranty/extended warranty separately. The validity shall be as stipulated in PO plus 60 days.
- The proceeds of the performance security shall be payable to the Purchaser as compensation for any loss resulting from the Supplier's failure to complete its obligations under the Contract.
- The Performance Security shall be denominated in Indian Rupees for the offers received for supplies within India and denominated in the currency of the contract in the case of offers received for supply from foreign countries or in equivalent Indian Rupees in case the Performance Security is submitted by the Indian Agent.
- The Performance security shall be in one of the following forms: (a) A Bank guarantee or stand-by Letter of Credit issued by a Nationalized/ Scheduled bank located in India or a foreign bank with preferably its operating branch in India in the form provided in the bidding documents. Or (b) A Banker's cheque or Account Payee demand draft in favour of the purchaser. Or, (c) A Fixed Deposit Receipt pledged in favour of the Purchaser.
- The performance security will be discharged by the Purchaser and returned to the Supplier not later than 60 days following the date of completion of the Supplier's performance obligations, including any warranty/extended warranty obligations, unless specified otherwise, without levy of any interest.
- In the event of any contract amendment, the supplier shall, within 21 days of receipt of such amendment, furnish the amendment to the performance security, rendering the same valid for the duration of the contract, as amended for further period of 60 days thereafter.
- The performance security must be received within 21 days. However, the Purchaser has the powers to extend the time frame for submission of Performance Security (PS). Even after extension of time, if the PS is not received, the contract is liable to be cancelled provided that the purchaser, on being satisfied that it is not a case of cartelization and the integrity of the procurement process has been maintained, may, for cogent reasons, offer the next successful bidder an opportunity to match the financial bid of the first successful bidder, and if the offer is accepted, award the contract to the next successful bidder at the price bid of the first successful bidder.

- Whenever, the bidder chooses to submit the Performance Security in the form of Bank Guarantee, then he should advise the banker issuing the Bank Guarantee to immediately send by Registered Post (A.D.) an unstamped duplicate copy of the Guarantee directly to the Purchaser with a covering letter to compare with the original BG for the correctness, genuineness, etc.

## 10. PAYMENT TERMS

Our standard payment term is 100% payment within 30 days against receipt, installation, commissioning, training and acceptance of material in good condition by NEFT/RTGS subject to submission of BG for 10% of basic cost covering warranty period including extended warranty period, if any.

**Special Condition:** The stipulated delivery date for completion of all activities to be performed by the supplier under contractual obligations i.e., supply of equipment/machinery and erecting & commissioning including all the civil, electrical works, if any under the contract.

S. No.	Description
1	The tenderer shall quote the rate by taking into account all the existing statutory duties/taxes up to the date of opening of tender and provide details in respect of this break up at the time of tendering. Any New Import or revision in the duties, taxes during the original currency of the contract will be to the purchasers account subject to production of Govt. notification and documentary evidence. This will also be applicable for the relevant quantity supplied during the extended delivery period, if such extension is on purchase's account. However, if the extension of delivery period is on account of failure of supplier, no compensation shall be made towards upward revision or imposition of any new taxes. Any benefit on account of downward revision of duty either in original Delivery Period or during extended Delivery Period shall be passed on by the supplier to C-MET.

## 11. STATUTORY VARIATION CLAUSE:

S. No.	Description
1	Statutory Variation in taxes and duties, or fresh imposition of taxes and duties by State/Central Governments in respect of the items stipulated in the contract (and not the raw materials thereof), within the original delivery period stipulated in the contract, or last unconditionally extended delivery period shall be to C-MET's account. Only such variation shall be admissible which takes place after the submission of bid. No claim on account of statutory variation in respect of existing tax/duty will be accepted unless the tenderer has clearly indicated in his offer the rate of tax/duty considered in his quoted rate. No claim on account of statutory variation shall be admissible on account of misclassification by the supplier/contractor.

## 12. Standard Governing Conditions

S. No.	Description
1	Tenderers must accept the C-MET conditions of contract, Instructions to the Tenderers, General Conditions and Special conditions of contract

## 13. CONDITIONS FOR ELIGIBILITY OF TENDERER

S. No.	Description	Confirmation Required
1	The tenderer must have supplied the same or similar items/Equipments to other organizations and documentary evidence must be furnished alongwith their offer evidencing the execution of such Purchase Orders. Tenderer's with past performance of satisfactory execution of contracts before the date of tender opening as mentioned above for the supply of the subject or similar items in last three (3) years from date of tender opening may be considered as responsive to C-MET requirements for placement of regular order.	YES

**14.** (i) The Tenderer shall furnish along with his offer the details of past performance of the machines, same or similar to those offered in the tender in the following proforma during the last 3 years:

S. No.	Name of Machine	Name of customer	Purchase Order No. & Dt.	Delivery due date as per PO	Actual date of delivery	Whether customer's certificate in respect of past performance of the machine is enclosed
(1)	(2)	(3)	(4)	(5)	(6)	(7)

(ii) Certificates from the customers to whom such machines have been supplied in the past, regarding performance of the machines shall be enclosed with the above information failing which the offer shall not be considered. Certificates from Central/State Govt. Departments & Public Sector Undertaking only shall be accepted, and performance from at least two such customers should be submitted. Same/Similar refers to function and capacity within reasonable range.

(iii) If the tenderer is not a manufacturer, but only an agent/trader, a certificate from the manufacturer authorizing him as agent shall be attached with the offer failing which the offer shall not be considered.

(iv) The tenderer shall submit with his offer particulars plant and machinery installed at his works as well as equipment for ensuring quality control and inspection. Details like make, capacity, quality, horse power of all plant and



machinery shall be given. In case of an agent/dealer, the above details of their principal manufacturer shall be given.

(v) The tenderer shall submit with his offer details of man-power available with him showing the designation, no. of men, qualification & experience separately for each section like management, shop floor, inspection and quality control etc.,

(vi) C-MET has the option to verify the above information by physical inspection or otherwise by any authorized representative of C-MET at any time.

## 15. ELEMENT OF FREIGHT FOR INDIGENOUS PURCHASE

- a) In case where the consignees are more (say more than 4 or so), Tenderers are required to quota for the FOR station of dispatch prices with an average freight for all consignees, which will be added to FOR station for dispatch price to get FOR destination prices.
- b) In case where the consignees are 4 or less, Tenderers are required to quota FOR station of dispatch price with an actual freight for each individual consignee, which will be added to FOR station for dispatch price to get FOR destination prices for each individual consignee.

## 16. TIMELY COMMISSIONING:

In the event of contractors failure to have commissioned by the time or times respectively specified in the letter of acceptance or contract, purchaser shall levy Liquidated damages for the delay:

S. No.	Description	Confirmation Required
1	<b>Planetary Ball Mill with Zirconia Bowls &amp; Balls</b> Technical Specifications is to be read before quoting	YES

## 17. COMPLIANCE CONDITIONS

### Commercial-Compliance

S. No.	Description	Confirmation Required
1	Please enter the percentage of local content in the material being offered. Please enter 0 or fully imported item, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.	

## 18. SUBMISSION OF BID

1	Technical Bid	Documents should be serially arranged as per CHECK LIST WITH PAGE NUMBERING. This will be opened on 04.12.2020 at 12:00 hours
2	Commercial Bid (Price Bid)	Should contain only Price Bid as per CHECK LIST WITH PAGE NUMBERING. Date of opening of Price bid will be informed to the technically qualified bidders only.

## CRITERIA FOR PRE-QUALIFICATION OF TENDER AND NEGOTIATIONS

Specifications conforming to the requirement or better than that, Past Performance, Financial Soundness, Technical Competence, Total Cost and Organizational Capability of the Tenderer to provide installation, commissioning, after sale service and spare parts supply shall be some of the crucial parameters for pre-qualification of Tenderer's.

## RE-TENDERING

In case of inadequate response to Tender Notice OR if the Prices quoted are substantially high & negotiations with the Tenderer's have not resulted in any positive response, C-MET may Re-tender.

In case cartel is suspected, re-tendering will normally be resorted to.

## CORRUPT OR FRAUDULENT PRACTICES

C-MET requires that the bidders/suppliers/contractors under this tender, observe the highest standards of ethics during the procurement and execution of such contracts. In pursuance of this policy, the following is defined for the purposes of this provision, the terms set forth as follows:

- a) "corrupt practice" means the offering, giving, receiving or soliciting of anything of value to influence the action of the public official in the procurement process or in contract execution and
- b) "fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or an execution of a contract to the detriment of C-MET, and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive C-MET of the benefits of the free and open competition;

C-MET will reject the proposal for award of contract, if it determines that the Bidder recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question.

C-MET will declare a firm ineligible, either indefinitely or for a stated period of time to be awarded a contract if it at any time determines that the firm has engaged in corrupt and fraudulent practices in competing for, or in executing, a contract.



## **INTERPRETATION OF THE CLAUSES IN THE TENDER DOCUMENT**

In case of any ambiguity in the interpretation of any of the clauses in Tender Document, the interpretation of the Director, C-MET shall be final and binding on all parties.

## **IN CASE OF ANY LEGAL DISPUTE THE JURISDICTION WILL BE HYDERABAD (INDIA) ONLY.**

C-MET shall have the right to issue addenda to tender documents to clarify, amend, modify, supplement or delete any of the conditions, clauses or delete any of the conditions clauses or items stated therein. Each addendum so issued shall form part of **ORIGINAL INVITATION TO THE TENDER**. *Addendum/corrigendum will be posted in our website as well as in CPP portal only.*

## **FORCE MAJEURE**

The Supplier shall not be liable for forfeiture of its performance security, penalty or termination for default, if and to the extent that, its delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.

For purposes of this clause, "Force Majeure" means an event beyond the control of the Supplier and not involving the Supplier's fault or negligence and not foreseeable. Such events may include, but are not limited to, acts of the Purchaser either in its sovereign or contractual capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.

If a Force Majeure situation arises, the Supplier shall promptly notify C-MET in writing of such conditions and the cause thereof. Unless otherwise directed by C-MET in writing, the Supplier shall continue to perform its obligations under the Supply as far as it is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure.

## **CANCELLATION OF ORDER**

C-MET reserves the right to cancel the order without any liability in case the stores/goods/equipments is not supplied within the stipulated period and for non-fulfillment of specifications.

## **ARBITRATION**

Any dispute between the parties on the purchase would be settled by arbitration. The Place of arbitration proceedings shall be at the place decided by C-MET. Applicable laws shall be laws of Union of India.

## 19. GENERAL INSTRUCTIONS

S. No.	Description	Confirmation Required
1	All conditions shall be as per tender document	
2	The bidder confirms that Rates and other financial terms quoted in relevant columns of financial bid will only be ruling terms for acceptance, and such terms quoted anywhere else should be ignored. [Denial of this condition not recommended]	
3	The bidder agrees to supply the tendered stores at the rates quoted by him in accordance with C-MET conditions of Contract and [OR] Special Conditions and [OR] other Conditions specified/attached with the tender	
4	Pre-despatch Inspection - By nominated C-MET official at Destination	
5	In case the date of bid opening falls on a gazette holiday or is subsequently declared as such, the bids will be opened on the next working date at the appointed time	

## 20. SPECIAL CONDITIONS

S. No.	Description	Confirmation Required
1	<p><b>Taxes/Duties</b></p> <ol style="list-style-type: none"><li>1. Tenderer should clearly indicate Basic rate and applicable rate of GST &amp; HSN Code</li><li>2. Tenderer's should ensure that they are GST compliant and their quoted tax structure/rates are as per GST law.</li><li>3. In case the successful tenderer is not liable to be registered under CGST/IGST/UTGST/SGST Act, C-MET shall deduct the applicable GST from his/their bills under reverse charge mechanism [RCM] and deposit the same to the concerned tax authority. TDS-GST @ 2% is applicable for all the contracts, if the contract/PO value exceeds Rs.2.50 lakhs.</li><li>4. While submitting offer, it shall be the responsibility of the bidder to ensure that they quote correct GST rate and HSN Code.</li><li>5. Wherever the successful bidder invoices the goods at GST rate or HSN Code which is different from that incorporated in the Purchase Order, payment shall be made as per GST rate which is lower of GST rate incorporated in the Purchase Order or billed.</li><li>6. Any amendment to GST rate or HSN Code in the contract shall be as per the contractual conditions and statutory amendments in the quoted GST rate and HSN Code.</li><li>7. Vendor is informed that he/she would be required to adjust his/her basic price to the extent required by</li></ol>	

	higher tax billed as per invoice to match the all inclusive price as mentioned in the Purchase Order.	
2	Bidders are requested to refer Special Conditions of Contract while submitting their offers	

## 21. DOCUMENTS ATTACHED WITH TENDER

S. No.	Document Name	Document Description
1	Technical Specifications	Planetary Ball Mill with Zirconia Bowls & Balls

## 22. RESPONSIVENESS

S. No.	Description
1	Validity of the Offer: No deviation from the offer validity period stipulated in the tender is permitted
2	Payment Terms: No deviation from the Payment Terms stipulated in the tender is permitted.

**CENTRE FOR MATERIALS FOR ELECTRONICS TECHNOLOGY (C-MET)  
HYDERABAD**

**Technical Specification for Planetary Ball Mill with Zirconia Bowls & Balls**

The Planetary Ball Mill is being procured for the purpose of uniform mixing and size reduction of following the materials - Spent lithium ion battery cathode material, spent permanent magnetic materials, refractory materials, final products of Cobalt oxide, Manganese dioxide, Nickel oxide and Lithium Carbonate.

<b>Technical Specifications for Planetary ball mill</b>		
1	Planetary Ball Mill with Four jars of Capacity 500 ml each	Planetary ball mill with Four bowl holder with 500 ml Capacity (4 nos. of milling stations) possible to use of various material jars & balls such as Tungsten Carbide, Zirconium oxide, SS304, Agate, Hardened Steel etc.
2	Make	RETSCH/FRITSCH/MSE Supplies ILE/Herzog or Equivalent
3	Type of mounting	Floor mounted
4	Feed Material Size & Type	Suitable for soft, hard, brittle, fibrous & rocky material either dry or wet with feed particle size less than 10 mm
5	Final Fineness	Less than 1 $\mu\text{m}$ for normal and for colloidal grinding < 0.1 $\mu\text{m}$
6	Speed Ratio with reference to Main disc & Jar	1: -2 to 3
7	Wheel Rotation Speed	Vendor to specify
8	Jar Speed (rpm)	Vendor to specify
9	Effective Diameter	Around 300 mm
10	Operating Centrifugal acceleration	25 times acceleration of gravity.
11	Setting Grinding Time	Digital Type, 00:00:01 – 99:59:59 with interval and pause facility.
12	Grinding Conditions	Both dry and wet grinding facility shall be available
13	Operation Time	Machine run uninterruptedly for more than 100 hrs. with appropriate Off time in periodic interval
14	Safe lock Clamping Systems	Clamping System for safe locking of Bowl/ Jar
15	Door Sensor	If the door is <b>top</b> open or not closed properly, machine shall not start.
16	Door Lock	Door Lock to restrict the user to open the door at the time of grinding of samples only.

17	Exhaust Fans for Ventilation	Exhaust fans for ventilation and to control temperature of grinding chamber to enhance grinding time
18	Easy handling of clamping lock system to lock bowl in the bowl holder with safety of user	Easy handling of clamping lock system to lock the bowl in the bowl holder.
19	Leak Proof Dry & Wet Grinding	"O" ring for leak proof wet & dry grinding. O-type sealing for safe operation and maintaining pressure tightness.
20	Over load, Heat, Prevention overheating on the control panel.	Over load protection in case motor draws over current due to any reason the over load relay (OLR) , trip the motor and protect from burning to save machine from over heating.
21	MCB Power Isolation for Short Circuit protection and Start/ OFF Switch	MCB Power Isolation to prevent the short circuit with Start/ Off Switch on the control panel.
22	Emergency Stop switch	Emergency stop switch to prevent accident.
23	Noise Level	Smooth and Noiseless grinding with noise well within the permissible limit of CPCB
24	Programmable P.L.C Control Grinding/ programmable Starting time	<p>P.L.C Controlled parameters :</p> <ul style="list-style-type: none"> <li>i. Plate speed: 50 to 400 R.P.M. Continuously Variables.</li> <li>ii. Table Speed Indicator: Digital display.</li> <li>iii. Timer: 00:00:01 – 99:59:59 HH:MM: SS With digital display (Programmable).</li> <li>iv. Setting Parameters : <ul style="list-style-type: none"> <li>1. Table r.p.m - Plate Speed 50 - 400 r.p.m.</li> <li>2. Run Time - 00:00:01 – 99:59:59 HH:MM: SS</li> <li>3. Off Time - 00:00:01 – 99:59:59 HH:MM: SS</li> <li>4. No of Cycles - 1 to 999.</li> <li>5. Forward &amp; Reverse Selection.</li> <li>6. Acceleration - 1 to 30 Seconds</li> <li>7. Deceleration - 1 to 30 Seconds</li> </ul> </li> <li>v. Indications/ Display: <ul style="list-style-type: none"> <li>a). Plate r.p.m. (Sun Wheel speed)</li> <li>b). Bowl r.p.m.</li> <li>c). Total Cycles &amp; Current Cycle No.</li> <li>d). Set Time.</li> <li>e). Balance Time</li> <li>f) Energy Input/Voltage/Frequency</li> <li>g) Off Time</li> <li>h) On Time</li> <li>i) Safety Instruction (Door open, Over load etc.)</li> </ul> </li> </ul>

25	Memory Power failure backup	In case of power failure, the machine should restore the stored setting and start milling again from the setting where there was a power failure, and start milling from that position.
26	Programmable interval & Break Times and rotation direction (Clockwise & Anti Clockwise)	Facility shall be provided for Programmable interval & Break Times from 5 Second to 999 minutes and rotation direction (Clockwise, Anti Clockwise & Alternate
27	SOP Storage	Ten Standard Operational Process shall be stored with material name and parameters
28	Energy Monitoring	Mill shall have facility to monitor energy input and consumption with voltage and frequency
29	Grinding in Inert Atmosphere	Mill shall have an Optional facility to grind material in inert atmosphere with Special lids having NRV (Non-Returnable Valve)
30	Critical Speed of planetar ball mill	Vendor to mention the critical speed of planetary ball mill
31	Monitor & Record Temperature & Gas Pressure	Mill shall have facility to monitor the pressure and thereon temperature inside the bowl and enable a cut-off even if there is a temperature rise due to attrition
32	Absorption of vibration	Vendor to ensure that the ball mill absorbs vibration, even with largest pulverization forces inside grinding jars. Use of Free force compensation sockets may be appropriate
33	Grinding efficiency	Vendor to suggest ways improving the grinding efficiency
	Electrical	
34	Variable Frequency Drive	VFD for automatic control of drawn current for the protection of motor
35	Motor Voltage, Frequency and power	Vendor to specify
36	Bowl Material	Yttria Stabilized Zirconia material
		ZrO <sub>2</sub> : 94.5%, Y <sub>2</sub> O <sub>3</sub> : 5.25, Density: 6.02 g/cc
	Bowl capacity	500 ml
	Outer dia	Vendor to specify
	Height	Vendor to specify
	Wall thickness	Vendor to specify
	Lid Thickness	Vendor to specify
	Spare parts	Recommended spares to be provided



37	Warranty	One year after installation and commissioning of the machine
38	Delivery period	20 weeks
	<p>Note: 1. The party should quote their standard model meeting the indent specifications along with supporting leaflet.</p> <p>2. The party should also give list of similar systems supplied in India preferably in and around Hyderabad.</p>	

**(in the company letter head)**

**CHECK LIST**

Documents to be submitted along with the bids  
**(TECHNICAL BID)**

S No	Description	Yes/No	Page No
1	Covering/introduction letter from the Firm referring to C-MET's tender enquiry No and date <b>towards participation in the tender.</b>		
2	Details of EMD ( Bid Security declaration)		
3	Acceptance of terms & conditions of tender enquiry		
4	Signed copy of tender enquiry		
5	Price Reasonability Certificate		
6	Bid form and Price schedule with <b>commercial terms WITHOUT PRICE</b>		
7	Bid form and Price schedule for Optical Accessories <b>WITHOUT PRICE</b>	NA	
8	Bid form and Price schedule for extended warranty <b>WITHOUT PRICE</b>	NA	
9	Price schedule for non-comprehensive annual maintenance contract after warranty period <b>WITHOUT PRICE</b>	NA	
10	Previous experience details alongwith documents like PO/WO etc. (not more than 3 years old)		
11	Undertaking and declaration		
12	Technical compliance statement with/without deviation		
13	Technical brochure of the Product offered or drawings		
14	GST Registration certificate or No		
15	Bank details for NEFT/RTGS		
16	Warranty		

**Documents to be submitted alongwith Commercial bids  
(PRICE BID)  
(Separate sealed cover)**

S No	Description	Page No
1	Bid form and Price schedule with commercial terms <b>WITH PRICE</b>	
2	Bid form and Price schedule for Optional Accessories <b>WITH PRICE</b>	NA
3	Bid form and Price schedule for extended warranty <b>WITH PRICE</b>	NA
4	Price schedule for non-comprehensive annual maintenance contract after warranty period <b>WITH PRICE</b>	NA

**(in the company letter head)**

**BIDDER'S DETAILS**

1	Name of the supplied/party/firm	
2	Name of the authorized representative	
3	Communication address	
4	Telephone Nos.	
5	Mobile Nos.	
6	Fax and e-mail address	
7	Web address	
8	Bank details for payment through NEFT/RTGS	
9	Name of Bank	
	Branch	
	Account No	
	IFSC No	
	MICR No	
	Cancelled cheque for verification of above details	

Signature of Tenderer\_\_\_\_\_

Name\_\_\_\_\_

Business Address\_\_\_\_\_

Seal of the Tenderer\_\_\_\_\_

**(in the company letter head)**

**PREVIOUS EXPERIENCE DETAILS  
(LAST 3 YEARS)  
{01.04.2017 to 31.03.2020}**

S. No.	Name of System	Name, address, e-mail and mobile no.	Purchase Order No. & Dt.	Delivery due date as per PO	Actual date of delivery	Date of installation and commissioning
(1)	(2)	(3)	(4)	(5)	(6)	(7)

Signature of Tenderer \_\_\_\_\_

Name \_\_\_\_\_

Seal of the tenderer \_\_\_\_\_

Date:

Place:

(in the company letter head)

**DETAILS ABOUT THE PRODUCT OFFERED**

The following are the particulars about the Product offered:  
**PLANETARY BALL MILL WITH ZIRCONIA BOWLS & BALLS**

S No	Description	Product details	
1	Model/Make/Part No		
2	Year of launch of the model/Make		
3	Year of manufacturer of the model/ make now offered to C-MET		
4	No of Planetary Ball Mill of the model now offered to C-MET were sold during last 1 year upto _____  India/Hyderabad	India	
		Hyderabad	
5	Feedback (if any) from the end user of the Product on model supplied		
6	Any other information supplier would like to offer about the Product offered		

Signature of Tenderer\_\_\_\_\_

Name\_\_\_\_\_

Business Address\_\_\_\_\_

Seal of the Tenderer\_\_\_\_\_

Date:

Place:

NOTE: 1) Where there is no deviation, the statement should be returned duly signed with an endorsement indicating "No Deviations".

**(in the company letter head)**

**PRICE REASONABILITY CERTIFICATE**

It is certified that the rates quoted \_\_\_\_\_ are not more than as charged to other Govt. /PSU's for similar supplies made in recent past. Copies of the supply orders received from other Govt/PSU's are enclosed alongwith the technical bid.

Signature of Tenderer \_\_\_\_\_

Name \_\_\_\_\_

Business Address \_\_\_\_\_

Seal of the Tenderer \_\_\_\_\_

Date:

Place:



**(TO BE SUBMITTED ALONG WITH TECHNICAL BID)**

**(in the company letter head)**

**UNDERTAKING/ DECLARATION**

I/We having our office at \_\_\_\_\_ declare that I/we have never been blacklisted by any State Government/Central Government or any State/Central PSU.

2. I/We, \_\_\_\_\_ hereby declare that the particulars furnished by me/us in this offer are true to the best of my/our knowledge and I/We understand and accept that, if at any stage the information furnished by me/us are found to be incorrect or false, I/We am/are liable for disqualification from this tender and also liable for any penal action that may arise due to the above, besides being black listed.

3. I/We \_\_\_\_\_ hereby accept to provide warranty/ guarantee and Free Service for a period of minimum one year from the date of supply/ installation of the materials.

4. I/We \_\_\_\_\_ of \_\_\_\_\_ hereby agree on the acceptance of this tender by Director, C-MET to \_\_\_\_\_, in accordance with the terms and conditions of contract and at the rates or price specified in financial bid.

5. This is also certified that the rates quoted in the financial bid are not more than the rates charged from any other Institution/Department/ Organization in the last six months. No Other charges would be payable by the Institute.

6. I/We \_\_\_\_\_ have gone through the terms and conditions and will abide by them as laid down above. I hereby undertake that the information provided above and elsewhere in the tender is true and the tender is liable to rejection if the same is found to be false or the information is found to have been suppressed by me.

Name & Signature of the Supplier/Contractor/  
Authorized signatory with Official stamp/seal

**(TO BE SUBMITTED ALONG WITH TECHNICAL BID)  
(in the company letter head)**

To,

Date:

The Administrative Officer  
C-MET, IDA Phase III  
Cherlapally,  
Hyderabad 500 051

Sub: Acceptance of Terms & Conditions of Tender.

Tender Reference No. \_\_\_\_\_ dated \_\_\_\_\_

Name of the Tender/Work:

Sir/Madam,

I/We have downloaded/obtained the tender document(s) for the above mentioned 'Tender/Work' for the web site(s) namely:

---

as per your advertisement, given in the mentioned website(s)/enquiry letter.

2. I/we hereby certify that I/we have read the entire terms & conditions of the tender documents from Page No. \_\_\_\_\_ to \_\_\_\_\_ (including all documents like Annexure(s), schedules(s), etc.) which form part of the contract agreement and I/We shall abide hereby by the terms/conditions/clauses contained therein.

3. The corrigendum(s) issued from time to time by your department/organization too have all been taken into consideration, while submitting this acceptance letter.

4. I/We hereby unconditionally accept the tender conditions of above mentioned tender document (s)/Corrigendum(s) in its totally/entirely.

5. In case any provisos of this tender are found violated, then your Department/Organizations shall without prejudice to any other right or remedy be at liberty to reject this tender/bid including the forfeiture of the full said earnest money deposit absolutely.

Yours faithfully,

Name & Signature of the Supplier/Contractor/  
Authorized signatory with Official stamp/seal

(in the company letter head)

**BID FORM AND PRICE SCHEDULE**

Tender Reference No. : ENQ. NO.: C-MET/HD/SP-41/PBM/33/2020-21/12257  
Date : 11.11.2020

Name of the Stores/  
Goods/Equipment : SUPPLY, INSTALLATION & COMMISSINING OF  
**PLANETARY BALL MILL WITH ZIRCONIA BOWLS  
& BALLS**

Sl. No.	Description	HSN/SN CODE	Qty.	Amount(₹)
SUPPLY, INSTALLATION & COMMISSINING OF <b>PLANETARY BALL MILL</b>				
1	Planetary Ball Mill with four bowl holder with 500 ml capacity (Pulveriser)		1 no.	
2	Yttria stabilized Zirconia Bowl (500 ml)		2 nos.	
3	Yttria stabilized Zirconia Balls (10 mm dia)		50 nos.	
	Sub-total			
	Packing & Forwarding charges			
	Freight charges			
	Insurance			
	Commissioning & Installation charges			
	Taxable value			
	GST			
	<b>GRAND TOTAL</b>			

(Rupees \_\_\_\_\_ only)

1. Payment Terms:
2. Bid Validity:
3. Delivery Schedule:
4. Place of delivery: C-MET, HYDERABAD
5. Warranty, if applicable:
6. Any other relevant information:

Signature of Tenderer \_\_\_\_\_

Name \_\_\_\_\_

Seal of the Tenderer \_\_\_\_\_

Date:

Place:

(in the company letter head)

**COMPLIANCE STATEMENT IN R/O COMMERCIAL TERMS**

Tender Reference No. : ENQ. NO.: C-MET/HD/SP-41/PBM/33/2020-21/12257  
Date : 11.11.2020

Name of the Stores/  
Goods/Equipment : SUPPLY, INSTALLATION & COMMISSIONING OF  
**PLANETARY BALL MILL WITH ZIRCONIA BOWLS  
& BALLS**

Sl. No.	Description	C-MET Terms	Accepted / Not Accepted	Remarks
1	Payment Terms	100% payment within 30 days against receipt, installation & commissioning and acceptance of material in good condition by NEFT/RTGS subject to submission of BG for 10% of basic cost covering warranty period		
2	Bid Validity	120 days		
3	Delivery Schedule	within 20 weeks from the date of placing Purchase Order		
4	Place of delivery	C-MET, Hyderabad		
5	Warranty	One year after installation and commissioning of the machine		
6	Any other relevant information			

Signature of Tenderer \_\_\_\_\_

Name \_\_\_\_\_

Seal of the Tenderer \_\_\_\_\_

Date:

Place:

**(in the company letter head)**

**BID SECURITY DECLARATION**

I hereby submit a declaration that the bid submitted by the undersigned, on behalf of the bidder. *[Name of the bidder]*, either sole or in JV, shall not be withdrawn or modified during the period of validity i. e., not less than 120 (one hundred twenty) days from the bid due date.

I, on behalf of the bidder, *[Name of the bidder]*, also accept the fact that in case the bid is withdrawn or modified during the period of its validity or if we fail to sign the contract in case the tender is awarded to us or we fail to submit a performance security before the deadline defined in clause 9 of the Tender Document, then *[Name of the bidder]* will be suspended for participation in the tendering process for the tenders of C-MET, Hyderabad for a period of one year from the bid due date of this tender.

(Signature of the authorized signatory)  
Official Seal

Date:

Place:

## **BANK GUARANTEE FORM FOR PERFORMANCE SECURITY DEPOSIT**

To

The Administrative Officer  
C-MET, IDA Phase-III  
Cherlapally, HCL Post  
Hyderabad – 500 051  
TELANGANA STATE  
INDIA

WHEREAS \_\_\_\_\_ (Name and address of the supplier) (Hereinafter called "the supplier") has undertaken, in pursuance of contract no \_\_\_\_\_ dated \_\_\_\_\_ to supply (description of goods and services) (herein after called "the contract").

AND WHEREAS it has been stipulated by you in the said contract that the supplier shall furnish you with a bank guarantee by a scheduled commercial bank recognized by you for the sum specified therein as security for compliance with its obligations in accordance with the contract;

AND WHEREAS we have agreed to give the supplier such a bank guarantee;

NOW THEREFORE we hereby affirm that we are guarantors and responsible to you, on behalf of the supplier, up to a total of. \_\_\_\_\_ (Amount of the guarantee in words and figures), and we undertake to pay you, upon your first written demand declaring the supplier to be in default under the contract and without cavil or argument, any sum or sums within the limits of (amount of guarantee) as aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

We hereby waive the necessity of your demanding the said debt from the supplier before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the contract to be performed there under or of any of the contract documents which may be made between you and the supplier shall in any way release us from any liability under this guarantee and we hereby waive notice of any such change, addition or modification.

This guarantee shall be valid up to ..... (In words) months from the date of Notification of Award i.e up to ----- (indicate date)

.....  
(Signature with date of the authorized officer of the Bank)

.....  
Name and designation of the officer

.....  
Seal, name & address of the Bank and address of the Branch



**(TO BE SUBMITTED ALONG WITH TECHNICAL BID)**

**(in the company letter head)**

**Technical compliance statement in r/o PLANETARY BALL MILL WITH ZIRCONIA BOWLS & BALLS**

Sl. No.	Description	Technical Specification	Specifications of quoted Model	Compliance whether "YES" OR "NO"	Deviation, if any, to be indicated in unambiguous terms	Remarks
1.	Planetary Ball Mill with Four jars of Capacity 500 ml each	Planetary ball mill with Four bowl holder with 500 ml Capacity (4 nos. of milling stations) possible to use of various material jars & balls such as Tungsten Carbide, Zirconium oxide, SS304, Agate, Hardened Steel etc.				
2.	Make	RETSCH/FRITSCH/MSE Supplies ILE/Herzog or Equivalent				
3.	Type of mounting	Floor mounted				
4.	Feed Material Size & Type	Suitable for soft, hard, brittle, fibrous & rocky material either dry or wet with feed particle size less than 10 mm				
5.	Final Fineness	Less than 1 µm for normal and for colloidal grinding < 0.1 µm				
6.	Speed Ratio with reference to Main disc & Jar	1: -2 to 3				
7.	Wheel Rotation Speed	Vendor to specify				
8.	Jar Speed (rpm)	Vendor to specify				
9.	Effective Diameter	Around 300 mm				
10.	Operating Centrifugal acceleration	25 times acceleration of gravity.				
11.	Setting Grinding Time	Digital Type, 00:00:01 –				

Sl. No.	Description	Technical Specification	Specifications of quoted Model	Compliance whether "YES" OR "NO"	Deviation, if any, to be indicated in unambiguous terms	Remarks
		99:59:59 with interval and pause facility.				
12.	Grinding Conditions	Both dry and wet grinding facility shall be available				
13.	Operation Time	Machine run uninterruptedly for more than 100 hrs. with appropriate Off time in periodic interval				
14.	Safe lock Clamping Systems	Clamping System for safe locking of Bowl/ Jar				
15.	Door Sensor	If the door is <b>top</b> open or not closed properly, machine shall not start.				
16.	Door Lock	Door Lock to restrict the user to open the door at the time of grinding of samples only.				
17.	Exhaust Fans for Ventilation	Exhaust fans for ventilation and to control temperature of grinding chamber to enhance grinding time				
18.	Easy handling of clamping lock system to lock bowl in the bowl holder with safety of user	Easy handling of clamping lock system to lock the bowl in the bowl holder.				
19.	Leak Proof Dry & Wet Grinding	"O" ring for leak proof wet & dry grinding. O-type sealing for safe operation and maintaining pressure tightness.				
20.	Over load, Heat, Prevention overheating on the control panel.	Over load protection in case motor draws over current due to any reason the over load relay (OLR) , trip the motor and				

Sl. No.	Description	Technical Specification	Specifications of quoted Model	Compliance whether "YES" OR "NO"	Deviation, if any, to be indicated in unambiguous terms	Remarks
		protect from burning to save machine from over heating.				
21.	MCB Power Isolation for Short Circuit protection and Start/ OFF Switch	MCB Power Isolation to prevent the short circuit with Start/ Off Switch on the control panel.				
22.	Emergency stop switch	Emergency stop switch to prevent accident.				
23.	Noise Level	Smooth and Noiseless grinding with noise well within the permissible limit of CPCB				
24.	Programmable P.L.C Control Grinding/ programmable Starting time	<p>P.L.C Controlled parameters :</p> <p>i. Plate speed: 50 to 400 R.P.M. Continuously Variables.</p> <p>ii. Table Speed Indicator: Digital display.</p> <p>iii. Timer: 00:00:01 – 99:59:59 HH:MM: SS</p> <p>With digital display (Programmable).</p> <p>iv. Setting Parameters :</p> <p>1. Table r.p.m – Plate Speed 50 – 400 r.p.m.</p> <p>2. Run Time – 00:00:01 – 99:59:59 HH:MM: SS</p> <p>3. Off Time – 00:00:01 – 99:59:59 HH:MM: SS</p> <p>4. No of Cycles – 1 to 999.</p> <p>5. Forward &amp; Reverse Selection.</p> <p>6. Acceleration – 1 to 30 Seconds</p> <p>7. Deceleration – 1 to 30 Seconds</p> <p>v. Indications/ Display:</p>				

Sl. No.	Description	Technical Specification	Specifications of quoted Model	Compliance whether "YES" OR "NO"	Deviation, if any, to be indicated in unambiguous terms	Remarks
		a). Plate r.p.m. (Sun Wheel speed) b). Bowl r.p.m. c). Total Cycles & Current Cycle No. d). Set Time. e). Balance Time f) Energy Input/Voltage/Frequency g) Off Time h) On Time i) Safety Instruction (Door open, Over load etc.)				
25.	Memory Power failure backup	In case of power failure, the machine should restore the stored setting and start milling again from the setting where there was a power failure, and start milling from that position.				
26.	Programmable interval & Break Times and rotation direction (Clockwise & Anti Clockwise)	Facility shall be provided for Programmable interval & Break Times from 5 Second to 999 minutes and rotation direction (Clockwise, Anti Clockwise & Alternate)				
27.	SOP Storage	Ten Standard Operational Process shall be stored with material name and parameters				
28.	Energy Monitoring	Mill shall have facility to monitor energy input and consumption with voltage and frequency				
29.	Grinding in Inert Atmosphere	Mill shall have an Optional facility to grind material in inert atmosphere with Special lids				

Sl. No.	Description	Technical Specification	Specifications of quoted Model	Compliance whether "YES" OR "NO"	Deviation, if any, to be indicated in unambiguous terms	Remarks
		having NRV (Non-Returnable Valve)				
30.	Critical Speed of planetar ball mill	Vendor to mention the critical speed of planetary ball mill				
31.	Monitor & Record Temperature & Gas Pressure	Mill shall have facility to monitor the pressure and thereon temperature inside the bowl and enable a cut-off even if there is a temperature rise due to attrition				
32.	Absorption of vibration	Vendor to ensure that the ball mill absorbs vibration, even with largest pulverization forces inside grinding jars. Use of Free force compensation sockets may be appropriate				
33.	Grinding efficiency	Vendor to suggest ways improving the grinding efficiency				
	Electrical					
34.	Variable Frequency Drive	VFD for automatic control of drawn current for the protection of motor				
35.	Motor Voltage, Frequency and power	Vendor to specify				
36.	Bowl Material	Ytria Stabilized Zirconia material				
		ZrO2: 94.5%, Y2O3: 5.25, Density: 6.02 g/cc				
	Bowl capacity	500 ml				
	Outer dia	Vendor to specify				
	Height	Vendor to specify				
	Wall thickness	Vendor to specify				
	Lid Thickness	Vendor to specify				
	Spare parts	Recommended spares to be				

Sl. No.	Description	Technical Specification	Specifications of quoted Model	Compliance whether "YES" OR "NO"	Deviation, if any, to be indicated in unambiguous terms	Remarks
		provided				
	Bowl Material	Yttria Stabilized Zirconia material				
37.	Warranty	One year after installation and commissioning of the machine				
38.	Delivery period	20 weeks				

Signature of Tenderer \_\_\_\_\_

Name \_\_\_\_\_

Business Address \_\_\_\_\_

Seal of the tenderer \_\_\_\_\_

Place:

Date: